

**DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR**

Version 1.4      Revision Date: 28.09.2015      SDS Number: 809352-00005      Date of last issue: 09.06.2015  
Date of first issue: 21.11.2014

---

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

Product name : DOW CORNING(R) 732 MULTI -PURPOSE SEALANT CLEAR

Product code : 000000000001890573, 000000000001890573

**Manufacturer or supplier's details**

Company : Dow Corning Europe S.A.

Address : rue Jules Bordet - Parc Industriel - Zone C  
Seneffe B-7180

Telephone : English Tel: +49 611237507  
Deutsch Tel: +49 611237500  
Français Tel: +32 64511149  
Italiano Tel: +32 64511170  
Español Tel: +32 64511163

Emergency telephone number : Dow Corning (Barry U.K. 24h) Tél: +44 1446732350  
Dow Corning (Wiesbaden 24h) Tél: +49 61122158  
Dow Corning (Seneffe 24h) Tel: +32 64 888240

E-mail address : sdseu@dowcorning.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Adhesive, binding agents

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Not a hazardous substance or mixture.

**GHS-Labeling**

Not a hazardous substance or mixture.

Precautionary statements : **Prevention:**  
P271 Use only outdoors or in a well-ventilated area.

**Other hazards which do not result in classification**

None known.

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance/mixture : Mixture

Chemical nature : Silicone elastomer

---

# SAFETY DATA SHEET

**DOW CORNING**

## DOW CORNING(R) 732 MULTI -PURPOSE SEALANT CLEAR

Version 1.4      Revision Date: 28.09.2015      SDS Number: 809352-00005      Date of last issue: 09.06.2015  
Date of first issue: 21.11.2014

### Hazardous components

Chemical name	CAS-No.	Classification	MAC value mg/m3 / TSEL value	Concentration (% w/w)
Silicon dioxide	7631-86-9		MPC-TWA: 1 mg/m3 aerosol of pre- dominantly fibro- genic action, Class 3 - Dan- gerous MPC-STEL: 3 mg/m3 aerosol of pre- dominantly fibro- genic action, Class 3 - Dan- gerous	>= 1 - < 10

### 4. FIRST AID MEASURES

- If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Wash with water and soap as a precaution.  
Get medical attention if symptoms occur.
- In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : No special precautions are necessary for first aid responders.
- Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

#### Flammable properties

- Flash point : Not applicable  
Ignition temperature : No data available

DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 09.06.2015
1.4	28.09.2015	809352-00005	Date of first issue: 21.11.2014

---

Upper explosion limit	: No data available
Lower explosion limit	: No data available
Flammability (solid, gas)	: Not classified as a flammability hazard
Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Silicon oxides Formaldehyde
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	: Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items

DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 09.06.2015
1.4	28.09.2015	809352-00005	Date of first issue: 21.11.2014

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**7. HANDLING AND STORAGE**

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Take care to prevent spills, waste and minimize release to the environment.  
See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Data Source
Silicon dioxide	7631-86-9	MPC-TWA (Aerosol - total mass)	1 mg/m <sup>3</sup>	RU OEL
	Further information: aerosol of predominantly fibrogenic action, Class 3 - Dangerous			
		MPC-STEL (Aerosol - total mass)	3 mg/m <sup>3</sup>	RU OEL
	Further information: aerosol of predominantly fibrogenic action, Class 3 - Dangerous			

**Engineering measures** : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

**DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR**

Version	Revision Date:	SDS Number:	Date of last issue: 09.06.2015
1.4	28.09.2015	809352-00005	Date of first issue: 21.11.2014

---

Remarks	: Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Safety glasses
Skin and body protection	: Skin should be washed after contact.
Hygiene measures	: Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.

---

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: paste
Colour	: colourless
Odour	: Acetic acid
Odour Threshold	: No data available
pH	: Not applicable
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: No data available
Relative density	: 1,04
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-	: No data available

**DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR**

Version	Revision Date:	SDS Number:	Date of last issue: 09.06.2015
1.4	28.09.2015	809352-00005	Date of first issue: 21.11.2014

---

octanol/water

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Use at elevated temperatures may form highly hazardous compounds.  
Can react with strong oxidizing agents.  
Acetic acid is formed upon contact with water or humid air.  
Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products

Thermal decomposition : Formaldehyde

---

**11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact**Acute toxicity**

Not classified based on available information.

**Components:****Silicon dioxide:**Acute oral toxicity : LD50 (Rat): > 3.300 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Information taken from reference works and the literature.

DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 09.06.2015
1.4	28.09.2015	809352-00005	Date of first issue: 21.11.2014

---

Acute inhalation toxicity : LC50 (Rat): > 2,08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Information taken from reference works and the literature.

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Information taken from reference works and the literature.

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Result: No skin irritation

Remarks: Based on data from similar materials

**Components:****Silicon dioxide:**

Result: No skin irritation

Remarks: Information taken from reference works and the literature.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**

Result: No eye irritation

Remarks: Based on data from similar materials

**Components:****Silicon dioxide:**

Result: No eye irritation

Remarks: Information taken from reference works and the literature.

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Components:****Silicon dioxide:**

Assessment: Does not cause skin sensitisation.

Test Type: Skin: test type not specified

Species: Guinea pig

Remarks: Information taken from reference works and the literature.

DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 09.06.2015
1.4	28.09.2015	809352-00005	Date of first issue: 21.11.2014

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Silicon dioxide:**

Genotoxicity in vitro : Result: negative  
Remarks: Information taken from reference works and the literature.

Genotoxicity in vivo : Application Route: Ingestion  
Result: negative  
Remarks: Information taken from reference works and the literature.

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Hygienic standards:****(Allowable concentration in air, water, including fishery waters, soil)**

Components	Air	Water	Soil	Data Source



# SAFETY DATA SHEET

**DOW CORNING**

## DOW CORNING(R) 732 MULTI -PURPOSE SEALANT CLEAR

Version 1.4      Revision Date: 28.09.2015      SDS Number: 809352-00005      Date of last issue: 09.06.2015  
Date of first issue: 21.11.2014

Silicon dioxide 7631-86-9	TSEL value: 0,02 mg/m3	Maximum Allowable Concentration: 10 mg/l (As Si) Limiting health hazard indicator: sanitary- toxicological Hazard class: Class 2 - highly dangerous	List 2 List 4
------------------------------	---------------------------	---	------------------

List 2: GN 2.1.6.2309-07 Tentative safe exposure level (TSEL) of pollutants in the air of settlements

List 4: GN 2.1.5.1315-03 Maximum Allowable Concentrations (MAC) of Chemical Substances Contained in Water of Water Bodies for Economic-Potable and Social-Domestic Water Use

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Dispose of in accordance with local regulations.
- Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### ADR

Not regulated as a dangerous good

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**The components of this product are reported in the following inventories:**

NZIoC : All ingredients listed or exempt.

DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: 09.06.2015
1.4	28.09.2015	809352-00005	Date of first issue: 21.11.2014

REACH	: All ingredients (pre-)registered or exempt.
TSCA	: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.
PICCS	: All ingredients listed or exempt.
KECI	: All ingredients listed, exempt or notified.
ENCS/ISHL	: All components are listed on ENCS/ISHL or exempted from inventory listing.
IECSC	: All ingredients listed or exempt.
AICS	: All ingredients listed or exempt.
DSL	: All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

## 16. OTHER INFORMATION

**Full text of other abbreviations**

RU OEL	: Russia. Hygienic standards GN 2.2.5.1313-03 Permissible concentration (MAC) of harmful substances in the air of the working area
RU OEL / MPC-STEL	: Maximum Permissible Concentration - Short Term Exposure
RU OEL / MPC-TWA	: Maximum Permissible Concentration - Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation

**DOW CORNING(R) 732 MULTI -PURPOSE  
SEALANT CLEAR**

Version	Revision Date:	SDS Number:	Date of last issue: 09.06.2015
1.4	28.09.2015	809352-00005	Date of first issue: 21.11.2014

---

and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

RU / EN